

INCLINATOR® DUMBWAITERS

Commercial grade to home use





Dumbwaiter

Inclinator's innovation and reliability can be found in our line of Dumbwaiters for homes, offices, medical practices, stores, restaurants, banks, libraries and many other applications.

Reduce the risk of back strain, aching muscles and even accidents.

Stop carrying heavy or bulky items up and down stairs and install an Inclinator Dumbwaiter. For businesses, a Workers' Comp claim could easily exceed the cost of a Dumbwaiter.

Built to perform ... and last.

Inclinator is known for providing custom lift solutions, so give us your requirements – however unique they may be – and we'll deliver an ideal design. Besides functionality, Inclinator Dumbwaiters feature solid construction and proven reliability.

Meets or exceeds the requirements of ASME A17.1-2007 and CSA B44-07 safety codes for elevators and escalators.

For commercial use

- Custom sizes up to 36" x 36" x 48"
- 200, 300 and 500 lb. capacity models
- Can be installed at counter or floor level
- Travel up to 27' on 200 lb. model
- Travel up to 47' on 300 and 500 lb. models
- Automatic controls from any floor
- Can accommodate openings on 1, 2 or 3 sides
- Up to 6 stops
- Hoistway door options include slide-up, bi-parting and swing (machine access door is always swing)
- Car gate options include bi-parting, slide-up and collapsible where allowed by code
- Painted steel or optional stainless steel
- 220V electrical with flexible power unit location
- Rolled steel rail mounted to 2" x 12" plank
- Energy-efficient cable drum drive
- Broken cable safety device and slack cable disconnect
- Meets all code requirements for safety
- Fire-rated door options available
- Knock-down construction standard
- 2-year warranty



Door Options



Hoistway Door
Bi-Parting, Slide-Up or Swing Door: Available in Stainless Steel and Primed Carbon Steel

Machine Access Door
Available in Stainless Steel or Primed Carbon Steel

Gate Options



Bi-Parting or Slide-Up Gate
Available in Stainless Steel and Primed Carbon Steel

Call Buttons



Above control station only, available with bi-parting and slide-up doors.

Safety Options



Car cam and roller position shut-off switch meets all industry codes as a dumbwaiter door safety interlock.

Key lock and door open shut-off switch meet all industry codes for a machine room access door interlock.

Homewaiter®


For residential use

- Custom sizes up to 24" x 24" x 24"
- 120 lb. capacity
- Maximum travel distance of 35 ft.
- Can be installed at counter or floor level
- Up to 4 stops
- Automatic controls from any floor
- Can accommodate openings on 1, 2 or 3 sides
- Collapsible car gate
- Painted steel standard
- Stainless steel or hardwood veneer car optional
- Operates on standard 120V house current
- Extruded aluminum rail with uni-strut mounting system
- Energy-efficient cable drum drive
- Broken cable safety device and slack cable disconnect
- Knock-down construction optional
- 2-year warranty






Rail and Drive Details


Dumbwaiter



Homewaiter®



Collapsible Gate Finishes




Silver Brass Bronze



Oil-Rubbed Bronze Duranotic

Call Button Finishes



Brushed Stainless Polished Stainless Brushed Brass



Polished Brass Bronze Oil-Rubbed Bronze



White Kydex Almond Kydex Black Kydex



Shown with standard call buttons



Shown with optional "arrival" light

Actual colors may vary slightly from printed samples.



You can be confident in choosing an Inclinotor product



HOME ELEVATORS

- The industry's most customizable home elevator
- Two lines: LX and ELEVETTE®



WHEELCHAIR LIFTS

- Indoor and outdoor use
- Inclinotor® VL



DUMBWAITERS

- Custom sizes and features
- Two lines: Dumbwaiter (commercial use) and Homewaiter® (residential use)

Consult your local building authorities for specific regulations on these products before purchasing. Specifications, material finishes and product options are subject to change without notice.

Southeast Elevator, Inc.
 811 Edwards Road
 Ft. Pierce, FL 34982
 772-461-0030 Phone
 772-461-9008 Fax



601 Gibson Boulevard
 Harrisburg, PA 17104
 Phone: 717-939-8420
Toll-Free: 800-343-9007
www.inclinotor.com
 isales@inclinotor.com

©2011, Inclinotor Company of America
 PO Box 1557, Harrisburg, PA 17105-1557
 Printed in USA, All Rights Reserved

29305355 • SPCTM-1M-413